


金屬接頭 系列

全銅螺紋直通、全銅內螺紋直通


CHELIC®

● MPC 系列 全銅螺紋直通



規格	ØD	R	L1	L2	ØD1	✂
MPC 04-M5	4	M5	3.5	20.2	8	8
MPC 04-01	4	R1/8	7.5	19	8.5	10
MPC 04-02	4	R1/4	9.5	20.5	8.5	14
MPC 06-M5	6	M5	3.5	24.7	12	12
MPC 06-01	6	R1/8	7.5	24.7	12	12
MPC 06-02	6	R1/4	9.5	24.5	12	14
MPC 06-03	6	R3/8	10.5	23	12	17
MPC 06-04	6	R1/2	13.5	26	12	21
MPC 08-01	8	R1/8	7.5	28.7	14	14
MPC 08-02	8	R1/4	9.5	27.7	14	14
MPC 08-03	8	R3/8	10.5	22.7	14	17
MPC 08-04	8	R1/2	13.5	26	14	21
MPC 10-01	10	R1/8	7.5	31	16	16
MPC 10-02	10	R1/4	9.5	33	16	16
MPC 10-03	10	R3/8	10.5	27	16	17
MPC 10-04	10	R1/2	13.5	26	16	21
MPC 12-02	12	R1/4	9.5	35	18	19
MPC 12-03	12	R3/8	10.5	31.7	18	19
MPC 12-04	12	R1/2	13.5	26.2	18	21

● MPCF 系列 全銅內螺紋直通




規格	ØD	G	L1	L2	ØD1	✂
MPCF 04-M5	4	M5	5.5	20	8	8
MPCF 04-01	4	G1/8	8.5	23	8.5	14
MPCF 04-02	4	G1/4	11	25.5	8.5	17
MPCF 06-M5	6	M5	5.5	25	12	12
MPCF 06-01	6	G1/8	8.5	28	12	14
MPCF 06-02	6	G1/4	11	30.5	12	17
MPCF 06-03	6	G3/8	12	31.5	12	21
MPCF 06-04	6	G1/2	14	33.5	12	24
MPCF 08-01	8	G1/8	8.5	29	14	14
MPCF 08-02	8	G1/4	11	31.5	14	17
MPCF 08-03	8	G3/8	12	32.5	14	21
MPCF 08-04	8	G1/2	14	34.5	14	24
MPCF 10-01	10	G1/8	8.5	31	16	17
MPCF 10-02	10	G1/4	11	33.5	16	17
MPCF 10-03	10	G3/8	12	34.5	16	21
MPCF 10-04	10	G1/2	14	36.5	16	24
MPCF 12-02	12	G1/4	11	35	18	19
MPCF 12-03	12	G3/8	12	36	18	21
MPCF 12-04	12	G1/2	14	38	18	24

金屬接頭 系列

全銅L型螺紋彎頭、全銅螺紋正三通


CHELIC®

► MPL 系列 全銅L型螺紋彎頭



規格	ØD	R	L1	L2	L3	ØD1	🔧
MPL 04-M5	4	M5	3.5	16	18.5	8.5	10
MPL 04-M6	4	M6	4	16.5	18.5	8.5	10
MPL 04-01	4	R1/8	7.5	19.5	18.5	8.5	10
MPL 04-02	4	R1/4	9.5	21.5	18.5	8.5	14
MPL 06-M5	6	M5	3.5	16	23.5	12	10
MPL 06-M6	6	M6	4	16.5	23.5	12	10
MPL 06-01	6	R1/8	7.5	19.5	23.5	12	10
MPL 06-02	6	R1/4	9.5	21.5	23.5	12	14
MPL 06-03	6	R3/8	10.5	23.5	23.5	12	17
MPL 06-04	6	R1/2	13.5	26.5	23.5	12	21
MPL 08-01	8	R1/8	7.5	21	25.7	14	12
MPL 08-02	8	R1/4	9.5	23	25.7	14	14
MPL 08-03	8	R3/8	10.5	24.5	25.7	14	17
MPL 08-04	8	R1/2	13.5	27.5	25.7	14	21
MPL 10-01	10	R1/8	7.5	22.5	29	16	14
MPL 10-02	10	R1/4	9.5	24.5	29	16	14
MPL 10-03	10	R3/8	10.5	26	29	16	17
MPL 10-04	10	R1/2	13.5	29	29	16	21
MPL 12-02	12	R1/4	9.5	26	30.7	18	17
MPL 12-03	12	R3/8	10.5	27	30.7	18	17
MPL 12-04	12	R1/2	13.5	30	30.7	18	21

► MPB 系列 全銅螺紋正三通



規格	ØD	R	L1	L2	L3	ØD1	🔧
MPB 04-M5	4	M5	3.5	16	37	8.5	10
MPB 04-01	4	R1/8	7.5	19.5	37	8.5	10
MPB 04-02	4	R1/4	9.5	21.5	37	8.5	14
MPB 06-M5	6	M5	3.5	17	44	12	10
MPB 06-01	6	R1/8	7.5	20.5	44	12	10
MPB 06-02	6	R1/4	9.5	22.5	44	12	14
MPB 06-03	6	R3/8	10.5	24.5	44	12	17
MPB 06-04	6	R1/2	13.5	27.5	44	12	21
MPB 08-01	8	R1/8	7.5	21.5	50.5	14	12
MPB 08-02	8	R1/4	9.5	23.5	50.5	14	14
MPB 08-03	8	R3/8	10.5	25	50.5	14	17
MPB 08-04	8	R1/2	13.5	26	50.5	14	21
MPB 10-01	10	R1/8	7.5	23	64	16	14
MPB 10-02	10	R1/4	9.5	25	64	16	14
MPB 10-03	10	R3/8	10.5	26.5	64	16	17
MPB 10-04	10	R1/2	13.5	29.5	64	16	21
MPB 12-02	12	R1/4	9.5	26.5	66.5	18	17
MPB 12-03	12	R3/8	10.5	27.5	66.5	18	17
MPB 12-04	12	R1/2	13.5	30.5	66.5	18	21

SQ □
接頭系列

MSQ □
迷你型接頭

SP □
柱塞/連接管

SQ □ **J**
插管式接頭

SQR □
逆止接頭

SQ □ **G**
壓力計接頭

RQL
L型
迴轉接頭

M □
極小型接頭

不銹鋼接頭

銅接頭

金屬接頭

□ **SC**
調速閥

QS □
調速接頭

QMC
金屬
調速接頭

QT
附消音器
排氣節流閥

QH □
手動開關

QV □
球形開關

QST
面板式
調速接頭


PU 管

金屬接頭 系列

全銅螺紋側三通、全銅直通S


CHELIC®

MPD 系列 全銅螺紋側三通



規格	ØD	R	L1	L2	L3	L4	ØD1	🔩
MPD 04-M5	4	M5	3.5	16.5	17.5	34	8.5	10
MPD 04-01	4	R1/8	7.5	20	17.5	37.5	8.5	10
MPD 04-02	4	R1/4	9.5	22	17.5	39.5	8.5	14
MPD 06-M5	6	M5	3.5	16.5	25	41.5	12	10
MPD 06-01	6	R1/8	7.5	20	25	45	12	10
MPD 06-02	6	R1/4	9.5	22	25	47	12	14
MPD 06-03	6	R3/8	10.5	24	25	49	12	17
MPD 06-04	6	R1/2	13.5	27	25	52	12	21
MPD 08-01	8	R1/8	7.5	21.5	27.2	48.7	14	12
MPD 08-02	8	R1/4	9.5	23.5	27.2	50.7	14	14
MPD 08-03	8	R3/8	10.5	25	27.2	52.2	14	17
MPD 08-04	8	R1/2	13.5	26	27.2	53.2	14	21
MPD 10-01	10	R1/8	7.5	23	32	55	16	14
MPD 10-02	10	R1/4	9.5	25	32	57	16	14
MPD 10-03	10	R3/8	10.5	26.5	32	58.5	16	17
MPD 10-04	10	R1/2	13.5	29.5	32	61.5	16	21
MPD 12-02	12	R1/4	9.5	26.5	33.2	59.7	18	17
MPD 12-03	12	R3/8	10.5	27.5	33.2	60.7	18	17
MPD 12-04	12	R1/2	13.5	30.5	33.2	63.7	18	21

MPU 系列 全銅直通




規格	ØD	ØD1	ØD2	ØD3	L
MPU 04	4	4	8.5	8.5	30.3
MPU 06	6	6	12	12	39
MPU 08	8	8	14	14	41.4
MPU 10	10	10	16	16	45.3
MPU 12	12	12	18	18	49
MPU 06-04	6	4	8.5	12	35
MPU 08-06	8	6	12	14	40.3
MPU 10-08	10	8	14	16	43.3
MPU 12-10	12	10	16	18	47

金屬接頭 系列

全銅彎頭、全銅正三通、全銅四通


CHELIC®

MPV 系列 全銅彎頭




規格	ØD	ØD1	L
MPV 04	4	8.5	18.5
MPV 06	6	12	25
MPV 08	8	14	27.5
MPV 10	10	16	32
MPV 12	12	18	33.2

MPE 系列 全銅正三通



規格	ØD	ØD1	L1	L2
MPE 04	4	8.5	35	17.5
MPE 06	6	12	50	25
MPE 08	8	14	54.4	27.2
MPE 10	10	16	64	32
MPE 12	12	18	66.4	33.2

MPZ 系列 全銅四通



規格	ØD	ØD1	L
MPZ 04	4	8.5	35
MPZ 06	6	12	48.5
MPZ 08	8	14	54
MPZ 10	10	16	58
MPZ 12	12	18	63.5

SQ □
接頭系列

MSQ □
迷你型接頭

SP □
柱塞/連接管

SQ □ **J**
插管式接頭

SQR □
逆止接頭

SQ □ **G**
壓力計接頭

RQL
L型
迴轉接頭

M □
極小型接頭

不銹鋼接頭

銅接頭

金屬接頭

□ **SC**
調速閥

QS □
調速接頭

QMC
金屬
調速接頭

QT
附消音器
排氣節流閥

QH □
手動開關

QV □
球形開關

QST
面板式
調速接頭


PU 管

金屬接頭 系列

全銅隔板直通、全銅外六角接頭、全銅節流閥標準型


CHELIC®

► MPM 系列 全銅隔板直通




規格	ØD	ØD1	L	L1(max)	M	🔧
MPM 04	4	8.5	30.3	8	M10x1	14
MPM 06	6	12	39	13	M14x1	17
MPM 08	8	14	41.4	14	M16x1	19
MPM 10	10	16	45.3	13	M18x1	21
MPM 12	12	18	49	18	M20x1	24

► MPH 系列 全銅外六角接頭



規格	ØD	R	L1	L2	L3	ØD1	ØD2	H	🔧
MPH 04-01	4	R1/8	7.5	15.5	26.5	8.5	13	22	12
MPH 04-02	4	R1/4	9.5	17.5	30	8.5	16.5	23.5	14
MPH 06-01	6	R1/8	7.5	15.5	26.5	12	13	26.5	12
MPH 06-02	6	R1/4	9.5	17.5	30	12	16.5	27.5	14
MPH 06-03	6	R3/8	10.5	19	32.5	14	21	31	19
MPH 08-01	8	R1/8	7.5	15.5	26.5	14	13	27.5	12
MPH 08-02	8	R1/4	9.5	17.5	30	14	16.5	30	14
MPH 08-03	8	R3/8	10.5	19	32.5	14	21	32	19
MPH 08-04	8	R1/2	13.5	24	39	14	27	35	24
MPH 10-01	10	R1/8	7.5	16.5	26.5	16	13	30	12
MPH 10-02	10	R1/4	9.5	17.5	30	16	13	31	14
MPH 10-03	10	R3/8	10.5	19	32.5	16	21	35	19
MPH 10-04	10	R1/2	13.5	24	39	16	27	37	24

► MSC 系列 全銅節流閥標準型




規格	ØD	R	L1	L2	L3(max)	ØD1	ØD2	H	🔧
MSC 04-01	4	R1/8	6.4	15	43	8.5	13	22	12
MSC 04-02	4	R1/4	9	17	48	8.5	16.5	23.5	14
MSC 06-01	6	R1/8	6.4	15	43	12	13	26.5	12
MSC 06-02	6	R1/4	9	17	48	12	16.5	27.5	14
MSC 06-03	6	R3/8	10.5	20	53	12	21	31	19
MSC 08-01	8	R1/8	6.4	15	43	14	13	27.5	12
MSC 08-02	8	R1/4	9	17	48	14	16.5	30	14
MSC 08-03	8	R3/8	10.5	20	53	14	21	32	19
MSC 08-04	8	R1/2	14	26	61	14	27	35	24
MSC 10-01	10	R1/8	6.4	16	43	16	13	30	12
MSC 10-02	10	R1/4	9	17	48	16	16.5	31	14
MSC 10-03	10	R3/8	10.5	20	53	16	21	35	19
MSC 10-04	10	R1/2	14	26	61	16	27	37	24

金屬接頭 系列

全銅隔板內螺紋直通

CHELIC®

MPMF 系列 全銅隔板內螺紋直通



規格	ØD	G	L	L1	L2	ØD1	1	2	M
MPMF 04-01	4	G1/8	23	8.5	6	8.5	14	14	M10x1
MPMF 04-02	4	G1/4	25.5	11	6	8.5	17	14	M10x1
MPMF 06-01	6	G1/8	28	8.5	7	12	17	17	M14x1
MPMF 06-02	6	G1/4	30.5	11	7	12	17	17	M14x1
MPMF 06-03	6	G3/8	31.5	12	7	12	21	17	M14x1
MPMF 08-01	8	G1/8	29	8.5	7.5	14	19	19	M16x1
MPMF 08-02	8	G1/4	31.5	11	7.5	14	19	19	M16x1
MPMF 08-03	8	G3/8	32.5	12	7.5	14	21	19	M16x1
MPMF 08-04	8	G1/2	34.5	14	7.5	14	24	19	M16x1
MPMF 10-01	10	G1/8	31	8.5	9.5	16	21	21	M18x1
MPMF 10-02	10	G1/4	33.5	11	9.5	16	21	21	M18x1
MPMF 10-03	10	G3/8	34.5	12	9.5	16	21	21	M18x1
MPMF 10-04	10	G1/2	36.5	14	9.5	16	24	21	M18x1
MPMF 12-02	12	G1/4	35	11	10	18	24	24	M20x1
MPMF 12-03	12	G3/8	36	12	10	18	24	24	M20x1
MPMF 12-04	12	G1/2	38	14	10	18	24	24	M20x1

SQ □
接頭系列

MSQ □
迷你型接頭

SP □
柱塞/連接管

SQ □ **J**
插管式接頭

SQL □
逆止接頭

SQ □ **G**
壓力計接頭

RQL
L型
迴轉接頭

M □
極小型接頭

不銹鋼接頭

銅接頭

金屬接頭

□ **SC**
調速閥

QS □
調速接頭

QMC
金屬
調速接頭

QT
附消音器
排氣節流閥

QH □
手動開關

QV □
球形開關

QST
面板式
調速接頭


PU 管

金屬接頭 系列

全銅塑料按鈕螺紋彎頭、全銅塑料按鈕螺紋正三通


CHELIC®

► PPL 系列 全銅塑料按鈕螺紋彎頭



規格	ØD	R	L1	L2	L3	ØD1	🔧
PPL 04-01	4	R1/8	7.5	18.5	19	11.3	12
PPL 04-02	4	R1/4	9.5	20.5	19	11.3	14
PPL 06-01	6	R1/8	7.5	18.5	20.5	11.3	12
PPL 06-02	6	R1/4	9.5	20.5	20.5	11.3	14
PPL 08-01	8	R1/8	7.5	20.5	23.5	13.3	12
PPL 08-02	8	R1/4	9.5	22	23.5	13.3	16
PPL 08-03	8	R3/8	10.5	23	23.5	13.3	17
PPL 10-02	10	R1/4	9.5	27	28.5	16.3	16
PPL 10-03	10	R3/8	10.5	27	28.5	16.3	17
PPL 10-04	10	R1/2	13.5	29	28.5	16.3	21
PPL 12-02	12	R1/4	9.5	27	31.5	19.3	16
PPL 12-03	12	R3/8	10.5	29.5	31.5	19.3	17
PPL 12-04	12	R1/2	13.5	31.5	31.5	19.3	21

► PPB 系列 全銅塑料按鈕螺紋正三通




規格	ØD	R	L1	L2	L3	ØD1	🔧
PPB 04-01	4	R1/8	7.5	18.5	38	11.3	12
PPB 04-02	4	R1/4	9.5	20.5	38	11.3	14
PPB 06-01	6	R1/8	7.5	18.5	41	11.3	12
PPB 06-02	6	R1/4	9.5	20.5	41	11.3	14
PPB 08-01	8	R1/8	7.5	20.5	47	13.3	12
PPB 08-02	8	R1/4	9.5	22	47	13.3	16
PPB 08-03	8	R3/8	10.5	23	47	13.3	17
PPB 10-02	10	R1/4	9.5	27	57	16.3	16
PPB 10-03	10	R3/8	10.5	27	57	16.3	17
PPB 10-04	10	R1/2	13.5	29	57	16.3	21
PPB 12-02	12	R1/4	9.5	27	63	19.3	16
PPB 12-03	12	R3/8	10.5	29.5	63	19.3	17
PPB 12-04	12	R1/2	13.5	31.5	63	19.3	21

金屬接頭 系列

全銅塑料按鈕彎頭、全銅塑料按鈕直通、全銅塑料按鈕正三通


CHELIC®

PPV 系列 全銅塑料按鈕彎頭




規格	ØD	ØD1	L
PPV 04	4	11.3	19
PPV 06	6	11.3	20.5
PPV 08	8	13.3	23.5
PPV 10	10	16.3	28.5
PPV 12	12	19.3	31.5

PPU 系列 全銅塑料按鈕直通



規格	ØD	ØD1	L
PPU 04	4	10.8	31.5
PPU 06	6	12.8	34.5
PPU 08	8	14.8	37.5
PPU 10	10	17.8	42
PPU 12	12	20.8	45

PPE 系列 全銅塑料按鈕正三通



規格	ØD	ØD1	L	L1
PPE 04	4	11.3	19	38
PPE 06	6	11.3	20.5	41
PPE 08	8	13.3	23.5	47
PPE 10	10	16.3	28.5	57
PPE 12	12	19.3	31.5	63

SQ □
接頭系列

MSQ □
迷你型接頭

SP □
柱塞/連接管

SQ □ **J**
插管式接頭

SQR □
逆止接頭

SQ □ **G**
壓力計接頭

RQL
L型
迴轉接頭

M □
極小型接頭

不銹鋼接頭

銅接頭

金屬接頭

□ **SC**
調速閥

QS □
調速接頭

QMC
金屬
調速接頭

QT
附消音器
排氣節流閥

QH □
手動開關

QV □
球形開關

QST
面板式
調速接頭


PU 管

金屬接頭 系列

全銅塑料按鈕螺紋側三通

CHELIC®

PPD 系列 全銅塑料按鈕螺紋側三通



規格	ØD	R	L1	L2	L3	L4	ØD1	🔧
PPD 04-01	4	R1/8	7.5	18.5	36.5	18	11.3	12
PPD 04-02	4	R1/4	9.5	20.5	38.5	18	11.3	14
PPD 06-01	6	R1/8	7.5	18.5	38.5	20	11.3	12
PPD 06-02	6	R1/4	9.5	20.5	40.5	20	11.3	14
PPD 08-01	8	R1/8	7.5	20.5	44	23.5	13.3	12
PPD 08-02	8	R1/4	9.5	22	45.5	23.5	13.3	16
PPD 08-03	8	R3/8	10.5	23	46.5	23.5	13.3	17
PPD 10-02	10	R1/4	9.5	27	55.5	28.5	16.3	16
PPD 10-03	10	R3/8	10.5	27	55.5	28.5	16.3	17
PPD 10-04	10	R1/2	13.5	29	57.5	28.5	16.3	21
PPD 12-02	12	R1/4	9.5	27	59	32	19.3	16
PPD 12-03	12	R3/8	10.5	29.5	61.5	32	19.3	17
PPD 12-04	12	R1/2	13.5	31.5	63.5	32	19.3	21